

PB-214 167

Air Quality Data for Sulfur Dioxide, 1969, 1970, and 1971

Environmental Protection Agency

NOVEMBER 1972

Distributed By:

NTIS

**National Technical Information Service
U. S. DEPARTMENT OF COMMERCE**

PB 214 167

APTD-1354

AIR QUALITY DATA FOR SULFUR DIOXIDE

1969, 1970, AND 1971

from the National Air Surveillance Networks
and
Contributing State and Local Networks

Reproduced by
NATIONAL TECHNICAL
INFORMATION SERVICE
U S Department of Commerce
Springfield VA 22151

U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Air Programs

Research Triangle Park, North Carolina 27711

BIBLIOGRAPHIC DATA SHEET	1. Report No. APTD-1354	2.	3. Recipient's Accession No.
4. Title and Subtitle Air Quality Data for Sulfur Dioxide 1969, 1970, and 1971		5. Report Date November 1972	
7. Author(s)		6.	
9. Performing Organization Name and Address ENVIRONMENTAL PROTECTION AGENCY Office of Air Programs Research Triangle Park, North Carolina 27711		8. Performing Organization Rept. No.	
		10. Project/Task/Work Unit No.	
		11. Contract/Grant No.	
12. Sponsoring Organization Name and Address Same		13. Type of Report & Period Covered	
		14.	
15. Supplementary Notes			
16. Abstracts Air quality data for sulfur dioxide 1969 through 1971, urban and nonurban sites, are presented. The data reported have been gathered at the cooperating stations of the National Air Surveillance (NASN) network. The sulfur dioxide samples were collected by bubbling air through a solution of potassium tetrachloromercurate and analyzed using the West Gaeke method. Valid data are presented as annual sample cumulative frequency distributions. The arithmetic and geometric mean are included.			
17. Key Words and Document Analysis. 17a. Descriptors Air pollution Data Tables (data) Sulfur dioxide Monitors Sampling Gas sampling Urban areas Rural areas 17b. Identifiers/Open-Ended Terms Air quality 1969 1971 National Air Surveillance Network (NASN) 17c. COSATI Field/Group 13B			
18. Availability Statement Unlimited IA		19. Security Class (This Report) UNCLASSIFIED	21. No. of Pages 20
		20. Security Class (This Page) UNCLASSIFIED	22. Price \$3.00 / \$0.95

**AIR QUALITY DATA FOR SULFUR DIOXIDE
1969, 1970, AND 1971**

ENVIRONMENTAL PROTECTION AGENCY
Office of Air Programs
Research Triangle Park, North Carolina 27711

November 1972

The APTD (Air Pollution Technical Data) series of reports is issued by the Office of Air Programs, Environmental Protection Agency, to report technical data of interest to a limited number of readers. Copies of APTD reports are available free of charge to Federal Employees, current contractors and grantees, and non-profit organizations--as supplies permit--from the Air Pollution Technical Information Center, Environmental Protection Agency, Research Triangle Park, North Carolina 27711 or may be obtained, for a nominal cost, from the National Technical Information Service, 5285 Port Royal Road, Springfield, Virginia 22151.

Office of Air Programs Publication No. APTD-1354

ACKNOWLEDGMENTS

The data reported in this publication could not have been gathered without the generous cooperation of the many State and local air pollution agencies in the operation of the NASN sampling stations. The Environmental Protection Agency offers sincere thanks to these organizations and to their employees.

CONTENTS

LIST OF TABLES	v
ABSTRACT	vi
SECTION 1. INTRODUCTION AND SUMMARY	1
SAMPLE COLLECTION AND ANALYSIS	1
SAMPLING LOCATIONS	1
SAMPLING SCHEDULE	2
DATA SUMMARIES	2
REFERENCES	3
SECTION 2. URBAN AND NONURBAN SULFUR DIOXIDE, 1969	4
SECTION 3. URBAN AND NONURBAN SULFUR DIOXIDE, 1970	10
SECTION 4. URBAN AND NONURBAN SULFUR DIOXIDE, 1971	16

LIST OF TABLES

<u>Table</u>	<u>Page</u>
2-1. Sulfur Dioxide, Urban Frequency Distributions for 1969.	5
2-2. Sulfur Dioxide, Nonurban Frequency Distribution for 1969	9
3-1. Sulfur Dioxide, Urban Frequency Distribution for 1970	11
3-2. Sulfur Dioxide, Nonurban Frequency Distribution for 1970	15
4-1. Sulfur Dioxide, Urban Frequency Distribution for 1971	17
4-2. Sulfur Dioxide, Nonurban Frequency Distribution for 1971	20

ABSTRACT

Air quality data for sulfur dioxide 1969 through 1971, urban and nonurban sites, are presented. The data reported have been gathered at the cooperating stations of the National Air Surveillance (NASN) network.

The sulfur dioxide samples were collected by bubbling air through a solution of potassium tetrachloromercurate and analyzed using the West Gaeke method. Valid data are presented as annual sample cumulative frequency distributions. The arithmetic and geometric mean are included.

AIR QUALITY DATA FOR SULFUR DIOXIDE 1969, 1970, AND 1971

SECTION 1. INTRODUCTION AND SUMMARY

The Environmental Protection Agency (EPA), with the assistance and cooperation of State and local agencies, conducts a variety of air sampling activities to obtain information about the air quality in the United States. Data on sulfur dioxide (SO_2) collected during 1969, 1970 and 1971 at the cooperating stations of the National Air Surveillance Networks (NASN) are reported.

SAMPLE COLLECTION AND ANALYSIS

Sulfur dioxide is collected by bubbling air through a 50 milliliter solution of potassium tetrachloromercurate at a flow rate of approximately 150-200 c.c./minute over a 24-hour sampling period. After collection the sample is returned to the laboratory where sulfamic acid is added to eliminate the interference from the oxides of nitrogen, and the resulting solution is reacted with pararosaniline and formaldehyde. The light absorption of the resulting solution is measured colorimetrically, at a wavelength of 548 nanometers. The results are expressed in micrograms of SO_2 per cubic meter of air samples.¹ Because decay of the collecting solution containing SO_2 occurs at the rate of about one percent per day, the NASN samples are analyzed on the 14th day after the specified sampling date (permitting the use of a uniform decay correction).

SAMPLING LOCATIONS

The monitoring sites are divided into two groups: urban sites (Tables 2-1, 3-1, and 4-1), located somewhere within a city or town or its suburban environs, and nonurban sites (Tables 2-2, 3-2, and 4-2) located in rural or remote areas to provide an indication of background levels of SO_2 .

Each monitoring site is assigned a unique code number. Details of site coding and a list of codes already assigned are found in SAROAD Station Coding Manual.² Briefly, each twelve digit site identification number is assigned as follows: the first two digits identify the State, the next four digits identify a city of at least 2500 persons or a county (in some States the corresponding jurisdiction is a parish, election district, or regional planning district). The next three digits designate a specific address where the sampling equipment is operated. For example, 010380001 A 01 refers to State 01 (Alabama) city 0380 (Birmingham), and site 001 (619 South 19th Street). The final three characters (A01) designate the agency-project code. Some of the principal agency project codes are:

- A01 EPA, population oriented surveillance
- A03 EPA, background surveillance
- F01 State agency, population oriented surveillance
- G01 County agency, population oriented surveillance
- H01 City agency, population oriented surveillance

A listing of sampling site addresses is available in a separate publication.³

SAMPLING SCHEDULE

The NASN data within this section originate from a bi-weekly modified random sampling schedule. The schedule is modified from completely random to insure an equal representation of days of the week.

In order to have reasonable assurance that the annual summary statistics are representative, each station's data must be distributed over the calendar year so that they meet the following validity criteria for inclusion in this summary publication: a minimum of five valid scheduled samples must be collected in each quarter (Jan., Feb., Mar., etc.), and if no samples are collected in one month, neither of the other two months may have less than two valid samples. Obviously, it is desirable for networks that schedule more frequent sampling to strive for a more balanced distribution of measurements than the possible extreme combinations that could technically meet these minimum conditions for NASN stations.

DATA SUMMARIES

The data are presented as annual sample cumulative frequency distributions. The frequency distributions are calculated by first ranking the values in ascending order. Based on the total number of values, the percentiles are calculated such that the percentage of actual sample values is less than or equal to the concentrations listed for that percentile. Interpolation between actual sample values is not used. For example, if 25 samples were ranked in ascending order, ten

percent of the samples would be 2.5 samples. So the concentration of the third value is shown in the tenth percentile column. Similarly, the twentieth percentile would be the fifth value.

When "zero" concentrations (shown as 0.0 in the data tables are reported, that is, values below the minimum detectable limit, the statistics (means and standard deviations) are calculated by replacing the "zeroes" with one half the minimum detectable limit. For these summaries, the minimum detectable limit is $5 \mu\text{g}/\text{m}^3$, so $2.5 \mu\text{g}/\text{m}^3$ is used to replace zeros for calculation purposes (In 1968 the laboratory procedure set the minimum detectable limit at $5 \mu\text{g}/\text{m}^3$. However following the measurement of a high value--above $50 \mu\text{g}/\text{m}^3$ --the minimum detectable limit could briefly change to $10 \mu\text{g}/\text{m}^3$ due to methodological problems. Because a high value was observed less than 5 percent of the time, the minimum detectable limit of $5 \mu\text{g}/\text{m}^3$ was considered to be more representative of all data recorded during the year. In subsequent years--1970 and 1971--the method was remedied, eliminating this problem.) However, if between 25 and 50 percent of the values are below the detectable limit, the summary statistics are not calculated. Finally, if more than 50 percent of the values are below the detection limit, neither the summary statistics nor the frequency percentiles are calculated and the following statement is presented: "Number of samples () below the minimum detectable exceeds 50%."

In the example sample frequency distribution below, primary annual arithmetic mean standard, ($80 \mu\text{g}/\text{m}^3$) is met; the second and annual mean standard ($60 \mu\text{g}/\text{m}^3$) is exceeded. The maximum value, $305 \mu\text{g}/\text{m}^3$, is below the primary standard for a 24-hour interval ($365 \mu\text{g}/\text{m}^3$). By interpolating from the frequency distribution, it can be estimated that just over ten percent of the measurements exceed the secondary standard ($280 \mu\text{g}/\text{m}^3$).

Number of Samples	Min.	Frequency distribution, %										Max.	Arithmetic		Geometric	
		10	20	30	40	50	60	70	80	90	Mean		Std. Dev.	Mean	Std. Dev.	
26	10	14	18	21	35	54	77	93	231	269	305	73	67.38	55	2.84	

REFERENCES

1. Federal Register, Vol. 1, No. 84, Part II, April 30, 1971, pp. 8191-8194.
2. Fair, D. H., SAROAD Station Coding Manual, U. S. Environmental Protection Agency, Office of Air Programs Publication No. APTD-0907, Research Triangle Park, North Carolina 27711.
3. Directory of Air Quality Monitoring Sites, 1971, U. S. Environmental Protection Agency, Office of Air Programs Publication No. APTD-0979, Research Triangle Park, North Carolina 27711.

SECTION 2. URBAN AND NONURBAN SULFUR DIOXIDE, 1969

Preceding page blank

5

Table 2-1. SULFUR DIOXIDE, URBAN FREQUENCY DISTRIBUTIONS FOR 1969

YEAR: 1969

METHOD: BUBBLER/NEST-GAGE

SAMPLING INTERVAL: 24-HOUR

UNITS: $\mu\text{G}/\text{CU METER (25 C)}$

LOCATION	NO. SAMP.	MIN.	FREQUENCY DISTRIBUTION, %										ARITHMETIC		GEOMETRIC	
			10	20	30	40	50	60	70	80	90	MAX.	MEAN	STD. DEV.	MEAN	STD. DEV.
ALABAMA																
MOBILE																
012340002 A01	24	5	7	7	9	10	11	11	11	18	23	100	19	14.78	12	1.13
WENTGERRY																
012460001 A01	26	0	5	5	7	7	7	8	9	17	19	24	10	9.88	8	1.73
ALASKA																
FAIRBANKS																
02C160001 A01	25	5	5	6	7	7	9	8	9	9	16	28	9	9.45	7	1.56
ARIZONA																
PHOENIX																
030400002 A01	29	5	5	6	7	7	8	9	10	11	19	22	10	6.74	9	1.56
TUCSON																
030860001 A01	22	5	5	7	7	7	7	9	10	11	20	27	10	9.23	9	1.56
ARKANSAS																
EL DORADO																
04C790001 A01	23	7	7	7	11	11	12	13	14	19	27	49	17	19.11	13	1.82
LITTLE ROCK																
041440001 A01	25	0	5	5	7	7	8	9	11	12	19	61	13	13.66	9	1.99
CALIFORNIA																
ANAHEIM																
050230001 A01	25	0	5	9	11	11	12	12	13	18	21	31	13	8.66	11	1.46
BERKELEY																
050760001 A01	23	0	7	7	8	9	10	11	13	18	21	73	14	14.19	11	1.95
LONG BEACH																
051000001 A01	25	7	11	17	20	26	35	41	49	52	59	66	35	17.93	30	1.88
SAN BERNARDINO																
050490001 A01	23	0	6	7	7	8	9	9	9	11	13	20	9	3.54	8	1.57
SAN DIEGO																
050800001 A01	26	5	5	7	7	9	10	11	13	18	18	30	12	5.96	10	1.67
SAN FRANCISCO																
050860001 A01	25	0	0	5	7	7	9	10	14	15	27	82	15	20.58	10	2.42
SAN JOSE																
050900002 A01	26	0	5	7	7	7	8	9	11	11	14	19	9	3.53	9	1.52
SANTA ANA																
050710001 A01	23	0	7	7	8	11	11	13	14	18	18	22	12	5.29	11	1.68
COLORADO																
DENVER																
06C580001 A01	21	5	5	9	12	12	14	15	18	28	38	39	17	10.02	15	1.91
06C580002 A01	26	5	7	9	9	10	11	17	23	29	31	46	17	11.29	14	1.91
CONNECTICUT																
070420001 A01	26	0	7	16	18	29	32	38	97	111	128	178	56	50.82	34	3.07
NEW HAVEN																
070700001 A01	25	5	7	8	9	14	22	47	70	208	254	411	85	116.39	33	6.28
WATERBURY																
071240001 A01	25	5	7	7	9	10	11	11	25	36	60	125	25	31.29	16	2.51
DELAWARE																
WILMINGTON																
08C260001 A01	25	5	6	7	9	11	13	22	39	48	133	189	42	56.82	21	3.25
DIST. COLUMBIA																
WASHINGTON																
090020001 A01	24	5	7	7	14	17	19	29	31	47	69	85	29	22.93	20	2.38
090020003 A01	26	7	18	23	28	35	37	43	53	90	102	178	50	37.93	39	2.07
FLORIDA																
JACKSONVILLE																
101960002 A01	26	5	5	9	9	11	12	14	14	17	27	37	14	7.54	11	1.54
MIAMI																
102700002 A01	26	5	5	7	7	7	8	9	11	11	13	25	10	6.65	9	1.48
ST. PETERSBURG																
103880002 A01	26	5	7	7	10	12	16	18	30	37	71	91	26	24.74	18	2.37
TAMPA																
104360002 A01	25	5	7	7	11	13	16	19	26	30	37	112	23	22.23	17	2.14
GEORGIA																
ATLANTA																
110200001 A01	26	0	5	9	9	11	13	23	38	52	97	83	26	22.62	17	2.58
ILLINOIS																
CHICAGO																
114900001 A01	25	5	7	7	9	10	11	16	20	24	32	112	19	21.24	14	2.05

Table 2-1 (continued). SULFUR DIOXIDE, URBAN FREQUENCY DISTRIBUTIONS FOR 1969

YEAR: 1969

METHOD: HUMBER/MIST-GAUGE

SAMPLING INTERVAL: 24-HOUR

UNITS: $\mu\text{G}/\text{CU METER } (25 \text{ CI})$

LOCATION	NO. SAMPL.	PERC.	FREQUENCY DISTRIBUTION, #										ARITHMETIC				GEOMETRIC	
			10	20	30	40	50	60	70	80	90	MAX.	MEAN	STD. DEV.	MEAN	STD. DEV.	MEAN	STD. DEV.
ILLINOIS CHICAGO 141220002 A01	25	7	20	30	74	51	123	177	262	361	448	496	104	179.00	114	3.08		
ACCAFCRO 140680001 A01	26	7	10	14	16	20	21	23	35	37	68	100	30	29.59	24	1.99		
INDIANA EAST CHICAGO 151140001 A01	24	16	23	35	39	70	73	93	108	154	260	294	98	79.43	72	2.28		
EVANSVILLE 151300001 A01	26	7	7	14	17	19	21	26	29	53	73	107	32	26.39	24	2.15		
GARY 151510001 A01	25	5	7	9	11	14	19	23	29	34	91	153	33	34.63	21	2.57		
HAMMOND 151740001 A01	26	10	14	14	21	45	54	66	93	120	241	305	85	81.19	53	2.97		
INDIANAPOLIS 152040001 A01	25	0	7	10	13	19	23	34	51	58	91	164	42	39.50	26	2.85		
NEW ALBANY 152490002 A01	23	7	7	11	16	21	26	32	35	49	62	218	38	44.75	25	2.34		
IOWA JES MICHES 161140001 A01	25	0	5	5	7	7	7	11	15	17	24	95	17	27.10	11	2.34		
JURIQUE 161260001 A01	24	0	5	5	7	7	8	9	14	29	61	119	21	10.94	11	2.83		
KANSAS TOPEKA 171560001 A01	24	0	0	5	6	7	7	7	9	11	11	30	8	5.47	7	1.79		
KICHITA 171740001 A01	25	0	5	6	7	7	7	7	9	10	11	16	8	2.71	7	1.44		
KENTUCKY COVINGTON 180430001 A01	26	7	10	10	11	16	27	29	37	41	59	121	31	27.70	23	2.20		
LOUISVILLE 182400001 A01	24	7	9	10	22	26	29	35	39	56	83	132	38	31.43	28	2.29		
LOUISIANA NEW ORLEANS 192500002 A01	24	5	5	6	7	7	7	9	10	11	15	15	9	3.23	8	1.63		
MARYLAND BALTIMORE 210120001 A01	24	7	14	18	24	38	62	63	66	106	113	172	58	47.91	42	2.35		
MASSACHUSETTS SPRINGFIELD 222840002 A01	26	11	25	31	35	37	40	48	78	115	125	192	63	46.84	50	1.97		
NORTH CAROLINA 222840001 A01	25	7	14	17	27	29	33	45	60	171	181	338	76	89.12	45	2.77		
MICHIGAN DETROIT 231140001 A01	26	12	22	25	24	39	50	61	73	91	94	111	55	31.09	46	1.69		
FLINT 231540001 A01	25	7	9	9	17	13	20	23	29	35	66	72	25	19.02	20	2.00		
GRAND RAPIDS 231420001 A01	25	6	7	8	9	14	17	18	21	25	37	53	19	12.40	16	1.85		
LANSING 232840001 A01	23	0	9	11	11	14	16	17	22	29	66	76	31	26.64	17	2.70		
SAGINAW 234760001 A01	24	7	10	11	12	15	17	20	21	35	47	66	23	17.15	19	1.81		
MINNESOTA MINNEAPOLIS 242740001 A01	25	0	5	7	9	11	13	17	25	38	74	104	26	28.90	16	2.70		
MISSOURI KANSAS CITY 262380002 A01	23	5	5	7	7	9	8	11	14	22	24	48	14	11.34	11	1.66		
ST. LOUIS 264280001 A01	24	9	11	15	23	40	42	73	100	119	144	264	73	67.38	46	2.78		
264280002 A01	25	7	18	20	27	48	57	70	85	91	153	218	69	53.73	50	2.61		
NEBRASKA OMAHA 281947001 A01	26	5	7	7	7	8	9	11	12	15	38	77	15	15.76	11	1.97		

Table 2-i (continued). SULFUR DIOXIDE, URBAN FREQUENCY DISTRIBUTIONS FOR 1969

YEAR : 1969

SAMPLING INTERVAL : 24-HOUR

METHOD: BUBBLER/NEP-CHEK

UNITS : US/CM METER (25 C)

LOCATION	NO. SAMP.	MIN.	FREQUENCY DISTRIBUTION, %										NAT.	ARITHMETIC		GEOMETRIC	
			10	20	30	40	50	60	70	80	90	MEAN		STD. DEV.	MEAN	STD. DEV.	
NEW JERSEY																	
HURLINGTON CO																	
310660002 A01	24	7	9	12	15	21	25	32	38	47	70	117	51	26.73	25	2.34	
CAMDEN																	
310720001 A01	26	7	56	79	84	105	110	140	178	198	220	292	131	70.72	105	2.15	
GLASSBORO																	
311700001 A01	26	0	5	5	7	7	7	7	8	9	11	13	7	2.97	7	1.41	
JERSEY CITY																	
312320001 A01	25	0	5	5	7	7	7	11	17	42	104	192	30	42.25	13	3.3	
NEWARK																	
313480001 A01	25	0	10	21	35	42	48	53	76	98	135	159	63	45.08	44	2.87	
PATERSON																	
314140001 A01	22	7	7	22	28	34	44	59	89	96	118	140	57	45.88	38	2.84	
NEW MEXICO																	
ALBUQUERQUE																	
320040001 A01	23	0	5	5	6	7	8	8	10	11	15	43	11	15.98	8	1.99	
NEW YORK																	
ALBANY																	
330340001 A01	26	7	12	18	24	32	44	60	59	61	91	149	48	35.98	38	2.09	
BUFFALO																	
330660001 A01	23	5	7	7	8	9	10	11	12	14	15	19	11	3.54	10	1.40	
ROCHESTER																	
335760001 A01	25	0	9	11	26	33	42	41	69	113	153	286	64	63.38	50	3.08	
SYRACUSE																	
336620001 A01	24	7	8	11	14	16	22	28	31	37	40	79	26	38.55	31	2.00	
UTICA																	
336980001 A01	26	7	7	7	9	11	15	22	27	32	40	88	21	16.73	17	2.07	
NORTH CAROLINA																	
SARASOTA																	
341760001 A01	24	5	7	7	9	12	14	19	26	30	45	50	20	14.15	18	2.04	
MISSISSIPPI																	
ANN ARBOR																	
360740001 A01	23	5	8	9	13	23	36	47	66	98	111	145	51	64.88	32	2.92	
CANTON																	
361000001 A01	26	8	14	17	22	28	28	33	40	48	76	93	56	25.65	29	1.91	
CINCINNATI																	
361270001 A01	23	7	9	10	15	16	15	22	23	40	47	116	26	24.84	20	2.05	
361720001 A01	25	7	11	14	17	20	21	31	44	47	50	73	30	18.86	24	1.92	
CLEVELAND																	
361300001 A01	26	7	14	40	40	55	54	67	78	79	114	248	66	47.25	57	2.34	
COLUMBUS																	
361450001 A01	26	7	13	17	19	21	27	29	32	42	56	81	29	17.42	25	1.95	
DAYTON																	
361660001 A01	26	0	0	5	7	0	9	11	11	13	15	27	10	5.42	8	1.06	
TOLEDO																	
366603001 A01	26	7	9	18	19	21	20	28	38	52	64	98	33	22.84	27	1.97	
WISCONSIN																	
WILMINGTON																	
367740001 A01	26	4	10	19	26	33	41	46	50	79	124	147	57	34.34	39	2.70	
OKLAHOMA																	
TULSA																	
375200001 A01	26	5	5	5	7	7	7	7	9	9	11	14	4	2.97	7	1.41	
PENNSYLVANIA																	
ALLANTOWN																	
380120001 A01	24	7	16	20	27	38	49	67	103	110	229	87	50.59	42	2.34		
JOHNSTOWN																	
384600001 A01	24	11	14	16	27	27	20	30	44	67	71	121	38	24.78	32	1.97	
PHILADELPHIA																	
387140001 A01	25	11	18	27	44	49	51	67	67	107	155	178	70	48.63	55	2.30	
PITTSBURGH																	
387260001 A01	26	7	15	45	58	66	76	89	91	120	134	194	76	40.76	67	2.15	
READING																	
387620001 A01	25	5	7	8	14	21	12	34	50	60	140	240	56	44.13	31	2.12	
WARRMINSTER																	
389160001 A01	25	9	9	10	16	14	25	28	31	45	54	61	28	14.07	24	1.94	
WEST CHESTER																	
389240001 A01	26	5	7	7	9	15	17	10	23	40	55	124	24	24.29	17	2.25	
VERMONT																	
389560002 A01	26	5	9	13	20	26	40	54	65	68	84	114	44	30.18	32	2.42	

Table 2-1 (continued). SULFUR DIOXIDE, URBAN FREQUENCY DISTRIBUTIONS FOR 1969

YEAR: 1969

SAMPLING INTERVAL: 24-HOUR

NETTED: RUMBLE/NEST-GAGE

UNITS: $\mu\text{G}/\text{CU METER (25 } ^\circ\text{C)}$

UNITS : OZ/CO METER (25 C)																
LOCATION	NO. SAMP.	MIN.	FREQUENCY DISTRIBUTION, %										ARITHMETIC		GEOMETRIC	
			10	20	30	40	50	60	70	80	90	MAX.	MEAN	STD. DEV.	MEAN	STD. DEV.
PUERTO RICO SAVANNAH 400100002 A01	26	5	5	7	7	7	7	9	9	10	14	35	9	5.89	8	1.53
SLAYANILLA 401000002 A01	24	0	7	7	9	10	11	16	17	20	21	36	14	7.37	17	1.70
RHODE ISLAND PROVIDENCE 410100001 A01	26	9	12	19	25	65	65	114	190	214	331	369	121	111.52	69	3.33
SOUTH DAKOTA BLACK HILLS NAT. P. 450110001 A01	26	0	5	5	6	7	7	7	9	10	14	17	8	3.66	7	1.50
CUSTER CO. 450420001 A01	26	0	5	5	6	7	7	7	9	10	14	17	8	3.66	7	1.50
FRANCISCO CHATTANYMGA 400300001 A01	26	0	0	8	7	8	9	10	13	13	15	72	11	13.00	9	2.00
GENESEE 407340001 A01	26	5	5	7	7	7	0	9	10	11	14	37	10	5.06	9	1.57
SAS-HELLO 447000001 A01	29	0	7	7	8	9	10	12	21	24	65	42	20	20.94	15	2.16
TEXAS FALLS 411100002 A01	25	3	5	7	7	7	0	9	10	11	14	17	9	3.43	8	1.48
FLORIDA 407400001 A01	24	0	5	4	7	7	7	8	11	12	24	42	11	9.13	8	1.96
GEORGIA 407400001 A01	26	0	0	6	7	7	0	9	0	13	14	34	10	3.11	8	1.46
IDAHO 404200001 A01	24	0	5	5	7	7	7	7	11	19	23	98	12	12.24	9	2.07
ILLINOIS 404300001 A01	25	5	5	6	7	7	7	7	8	9	13	34	9	5.71	8	1.49
INDIANA SALT LAKE CITY 404300001 A01	25	4	7	9	11	13	14	21	21	31	60	101	24	16.71	19	2.29
MICHIGAN ACKERLY 404300001 A01	26	7	9	11	14	15	24	30	45	60	92	109	50	28.41	20	3.21
MISSISSIPPI 404300001 A01	26	5	5	7	7	0	11	11	12	14	18	22	11	6.74	10	1.54
MISSOURI 404300002 A01	25	0	11	11	14	17	19	22	35	47	66	72	23	21.34	23	1.74
NEBRASKA 404300001 A01	28	5	5	7	7	9	11	11	17	14	18	22	11	6.74	10	1.54
NEW HAMPSHIRE 404300001 A01	27	11	11	17	19	21	24	30	30	50	80	165	48	47.69	30	3.17
NEW YORK CHARLSTON 404300001 A01	26	8	11	14	14	14	14	22	24	30	104	140	35	47.69	24	2.24
OHIO 404300001 A01	25	0	7	9	11	11	14	19	21	22	27	30	16	7.67	14	1.83
OKLAHOMA 404300001 A01	25	5	7	7	7	7	7	7	11	11	22	24	14	15.77	10	1.81

Table 2-2. SULFUR DIOXIDE, NONURBAN FREQUENCY DISTRIBUTION FOR 1969

LOCATION	NO. SAMP.	MIN.	FREQUENCY DISTRIBUTION, %										ARITHMETIC		GEOMETRIC	
			10	20	30	40	50	60	70	80	90	MAX.				
													MEAN	STD. DEV.	MEAN	STD. DEV.
DELAWARE KENT CO 080060001 A03	24	0	7	7	13	16	18	28	28	32	37	45	21	12.35	17	2.13
INDIANA MONROE CO 1528J0001 A03	23	5	7	7	8	0	9	11	13	14	26	51	15	10.81	11	1.91
LOUISIANA IBERVILLE PAR 191280001 A03	25	5	7	7	7	7	11	11	12	13	14	22	10	3.93	9	1.45
MAINE ACADIA NAT PARK 200010001 A03	25	0	5	7	7	7	7	8	10	11	16	24	9	4.37	8	1.58
PENNSYLVANIA CLEARFIELD CO 331820001 A03	25	0	5	7	7	7	7	8	10	11	16	24	9	4.57	8	1.58
INDIANA CO 394240001 A03	25	9	11	16	17	19	21	25	30	35	39	55	15	12.24	12	1.92
													24	11.91	22	1.63

YEAR : 1969

SAMPLING INTERVAL : 24-HOUR

METHOD: BUBBLER/NEST-GAUGE

UNITS : UG/CU METER (25 CI)

SECTION 3. URBAN AND NONURBAN SULFUR DIOXIDE, 1970

Table 3-1. SULFUR DIOXIDE, URBAN FREQUENCY DISTRIBUTION FOR 1970

YEAR: 1970			UNITS: UG/CU METER (25 C)										METHOD: DOUBLET/NEST-GAGE				
SAMPLING INTERVAL: 24-HOUR			FREQUENCY DISTRIBUTION, %										STATISTICS				
LOCATION	NO. SAMP.	MEAN	10	20	30	40	50	60	70	80	90	MAX.	MEAN	STD. DEV.	MEAN	STD. DEV.	
ALABAMA																	
MOBILE	012400001 A01	22	0	0	0	0	0	0	0	15	15	20					
ARIZONA																	
TUCSON	010800001 A01	25	0	0	0	0	7	8	9	10	13	23					
CALIFORNIA																	
ARABIA	052200001 A01	26	0	0	0	0	5	7	8	12	14	19	27				
GLENNDALE	052200001 A01	25	0	0	0	0	7	12	12	13	17	27	33				
LONG BEACH	054170001 A01	26	0	0	11	15	17	34	43	49	97	65	97	95	26.97	23	2.97
OAKLAND	054170001 A01	23	0	0	0	0	0	8	9	11	12	13	62				
SAN ANTONIO	054170001 A01	25	0	0	0	0	0	5	8	9	11	13	15				
SAN DIEGO	054170001 A01	25	0	0	0	0	6	7	12	13	14	19	32				
SAN FRANCISCO	054170001 A01	25	0	0	0	0	0	7	0	10	12	19	28				
SANTA ANA	054170001 A01	24	0	0	0	0	0	5	6	7	10	19	21				
COLORADO																	
DENVER	064170001 A01	25	0	0	0	0	7	11	13	15	19	27	60				
	064170002 A01	25	0	0	0	0	6	7	9	13	17	73	43				
CONNECTICUT																	
BRIDGEPORT	070200001 A01	26	0	0	0	0	5	8	16	29	74	176	213				
HARTFORD	070200001 A01	25	0	0	7	15	24	45	50	75	102	121	225	57	56.32	10	3.93
NEW HAVEN	070200001 A01	27	0	0	7	10	17	20	26	29	45	131	214	40	56.50	14	3.64
WATTFORD	071200001 A01	27	0	0	7	8	11	14	15	18	27	63	56	17	16.50	12	2.46
DELAWARE																	
SPRINGFIELD	080140001 A01	25	0	0	0	0	5	7	16	19	23	30	112				
WILMINGTON	080200001 A01	24	0	0	0	7	8	8	10	15	18	61	78				
FLORIDA																	
MIAMI	102200002 A01	26	0	0	0	0	0	7	8	9	10	12	20				
ST. PETERSBURG	102200002 A01	26	0	0	5	6	8	8	11	13	21	39	66	17	22.12	10	2.76
TAMPA	104200002 A01	25	0	0	0	0	7	9	15	17	22	53	97				
GEORGIA																	
ATLANTA	110200001 A01	26	0	0	0	7	9	17	16	29	28	67	104				
COLUMBUS	111200001 A01	24	0	0	0	0	5	8	9	11	12	15	19				
SAVANNAH	114500001 A01	25	0	0	0	0	7	7	11	11	16	21	29				
ILLINOIS																	
CHICAGO	141220001 A01	25	0	0	17	28	35	47	61	87	111	179	305	72	77.66	16	4.15
	141720002 A01	25	0	7	12	15	20	66	138	204	220	290	419	120	126.84	48	9.07
INDIANA																	
EAST CHICAGO	151100001 A01	26	0	7	11	16	27	61	66	86	101	118	197	57	40.70	13	3.67
EVANSVILLE	151300001 A01	24	0	0	10	14	18	21	31	32	39	48	81	25	18.51	18	2.60
HAMMOND	151700001 A01	25	0	0	13	17	19	29	12	36	142	171	305	54	55.15	26	3.61
INDIANAPOLIS	152040001 A01	24	0	0	7	11	12	14	11	44	57	77	117	33	33.74	16	2.77
SOUTH KANSAS	153440002 A01	24	0	0	0	5	7	7	8	10	13	21	45				

Table 3-1 (continued). SULFUR DIOXIDE, URBAN FREQUENCY DISTRIBUTION FOR 1970

YEAR : 1970			METHOD: DUBAUER/MIST-GAGE															
SAMPLING INTERVAL : 24-HOUR			UNITS : UG/CO METER 025 C3															
LOCATION	NO. SAMP.	MIN.	FREQUENCY DISTRIBUTION, %										ARITHMETIC				GEOMETRIC	
			10	20	30	40	50	60	70	80	90	MAX.	MEAN	STD. DEV.	MEAN	STD. DEV.		
IOWA																		
DES MOINES																		
14110001 A01	26	0	0	0	0	9	7	8	12	19	27	99						
KANSAS																		
WICHITA																		
177740001 A01	24	0	0	0	0	9	9	7	8	9	12	17						
KENTUCKY																		
ASHLAND GREEN																		
142170001 A01	25	0	NO. OF SAMPLES (15) BELOW MIN. DET. EXCEEDS 50%										42					
COVINGTON																		
140420001 A01	25	0	5	6	12	18	25	25	35	39	54	62	26	17.67	18	2.57		
LEXINGTON																		
142700001 A01	27	0	0	0	0	5	9	8	10	18	36	72						
LOUISVILLE																		
182190002 A01	24	0	0	0	7	8	13	16	19	34	67	99	23	27.91	13	9.21		
LOUISIANA																		
NEW ORLEANS																		
192020002 A01	24	0	0	0	0	5	6	7	8	11	19	20						
MARYLAND																		
BALTIMORE																		
210120001 A01	26	0	10	15	15	30	39	45	67	94	136	162	54	44.54	35	5.11		
MASSACHUSETTS																		
SPRINGFIELD																		
222160002 A01	25	0	10	14	36	42	57	80	103	159	184	297	87	80.23	51	5.55		
MICHIGAN																		
DETROIT																		
231140001 A01	25	0	0	7	16	21	24	34	44	61	83	172	38	37.34	23	5.11		
FLINT																		
231540001 A01	26	0	0	6	8	12	15	18	19	19	27	58	16	12.92	11	2.48		
MISSOURI																		
GRAND RAPIDS																		
211820001 A01	26	0	0	5	6	7	10	11	15	17	30	48	17	11.17	10	2.21		
NEBRASKA																		
LANCASTER																		
217440001 A01	24	0	0	5	8	10	14	17	26	29	43	125	22	27.04	13	2.94		
SAGINAW																		
214760001 A01	26	0	0	0	6	9	12	15	17	23	36	98						
MINNESOTA																		
WINNEAPOLIS																		
242740001 A01	24	0	0	0	9	11	14	15	17	63	152	223	38	59.62	15	5.91		
MISSOURI																		
ST LOUIS																		
244240002 A01	26	0	0	10	13	16	23	40	49	68	111	152	40	39.17	25	5.29		
NEW JERSEY																		
BURLINGTON CO																		
210660002 A01	27	0	0	0	5	13	17	29	34	42	104	148	32	40.44	15	5.00		
CAMDEN																		
210720001 A01	26	0	0	7	10	15	21	59	126	129	148	238	69	75.71	28	4.80		
GLASSBORO																		
211700001 A01	26	0	0	0	0	5	6	8	9	11	14	15						
JERSEY CITY																		
212520001 A01	25	0	0	10	26	34	49	57	78	108	234	240	75	76.87	59	5.98		
NEWARK																		
213480001 A01	24	0	0	0	7	9	15	25	33	40	124	251	37	56.84	16	5.91		
PATerson																		
214140001 A01	26	0	0	0	0	7	9	17	44	52	70	131						
NEW MEXICO																		
ALBUQUERQUE																		
220040001 A01	27	0	NO. OF SAMPLES (16) BELOW MIN. DET. EXCEEDS 50%										21					
NEW YORK																		
ALBANY																		
230040001 A01	25	0	0	0	5	7	10	12	24	35	56	90						
ROCHESTER																		
235740001 A01	24	0	0	6	9	13	18	27	32	42	63	227	32	46.34	16	5.55		
NORTH CAROLINA																		
GREENSBORO																		
241740001 A01	26	0	0	0	0	6	7	12	14	20	72	52						

Table 3-1 (continued). SULFUR DIOXIDE, URBAN FREQUENCY DISTRIBUTION FOR 1970

YEAR: 1970

METHOD: DOBSON, WEST-GARZ

SAMPLING INTERVAL: 24-HOUR

UNITS: MICROGRAMS PER CUBIC METER (25°C)

LOCATION	NO. SAMP.	MIN.	FREQUENCY DISTRIBUTION, %										ARITHMETIC				GEOMETRIC			
			10	20	30	40	50	60	70	80	90	MAX.	MEAN	STD. DEV.	MEAN	STD. DEV.				
CHICAGO	36080001 A01	26	0	5	20	25	41	45	56	66	75	102	125	51	34.72	35	2.90			
CANTON	36100001 A01	25	0	0	6	10	13	21	31	40	49	99	125	30	27.81	19	2.98			
CINCINNATI	36122003 A01	26	0	7	10	13	17	21	27	34	37	44	95	25	19.29	19	2.57			
CLEVELAND	36130003 A01	26	0	10	30	32	51	55	62	69	80	113	290	64	51.93	47	2.67			
COLUMBUS	36140001 A01	26	0	0	7	8	13	14	23	30	32	43	71	22	17.98	15	2.70			
DAYTON	36160001 A01	25	0	0	5	8	10	15	22	33	35	83	87	25	25.94	15	3.05			
TOLEDO	36660001 A01	26	0	0	5	6	8	8	11	13	19	27	51	13	12.43	9	2.19			
YOUNGSTOWN	36720001 A01	25	0	5	7	16	17	22	25	39	47	58	88	30	21.90	21	2.65			
OKLAHOMA CITY	37220001 A01	25	0	0	0	0	0	6	7	8	8	19								
PENNSYLVANIA	39012001 A01	26	0	0	0	7	23	29	37	80	87	135	235	57	61.46	25	4.40			
JOHNSTOWN	39440001 A01	25	0	0	0	0	8	20	24	33	42	67	89							
PHILADELPHIA	39714001 A01	25	0	15	21	50	61	66	97	113	125	165	218	84	57.41	58	2.67			
PHILADELPHIA	39714002 A01	26	0	7	21	36	39	50	71	82	105	213	243	73	69.55	46	3.21			
PITTSBURGH	39726001 A01	25	0	8	26	39	43	53	60	65	74	130	149	47	38.95	40	2.90			
READING	39762001 A01	25	0	0	0	7	8	14	16	43	55	63	131	10	33.97	14	3.72			
WARMINSTER	39816001 A01	26	0	0	0	5	7	11	27	30	49	80	126	28	31.61	14	3.69			
YORK	39860002 A01	25	0	0	5	6	10	16	24	42	52	85	96	31	31.03	17	3.66			
PUERTO RICO																				
SAVANNAH	40018002 A01	25	0	0	0	0	7	8	10	17	14	20	27							
GUAYANILLA	40080002 A01	24	0	0	0	0	0	7	0	13	18	23	154							
RHODE ISLAND																				
PROVINCENCE	41030001 A01	26	0	0	11	14	23	35	61	79	101	160	291	67	57.99	32	4.92			
TENNESSEE																				
CHATTANOOGA	44018001 A01	25	0	0	0	0	7	11	15	20	23	64	74							
MEMPHIS	44734001 A01	24	0	0	0	5	7	7	9	11	16	19	208							
NASHVILLE	44734001 A01	26	0	0	0	6	9	11	13	19	25	28	55	15	12.94	11	2.51			
TEXAS																				
AUSTIN	49022007 A01	26	0	0	0	0	0	7	8	8	12	17								
BEAUMONT	49033001 A01	23	0	0	0	0	0	7	8	12	15	10								
CORPUS CHRISTI	49119001 A01	24	0	0	0	0	0	5	7	8	10	25								
DALLAS	49111002 A01	24	0	0	0	0	0	6	6	10	11	17	20							
EL PASO	49120002 A01	25	0	6	8	9	11	18	21	25	30	60	116	23	21.79	16	2.66			
PORT WORTH	49188001 A01	24	0	0	0	0	5	7	8	8	11	17	27							
HOUSTON	49248001 A01	25	0	0	0	0	6	10	12	13	15	16	62							
SAN ANTONIO	49457001 A01	26	0	0	0	0	6	7	7	9	9	13	17							

Table 3-1 (continued). SULFUR DIOXIDE, URBAN FREQUENCY DISTRIBUTION FOR 1970

YEAR : 1970

SAMPLING INTERVAL : 24-HOUR

UNITS : US/CM³ METER 125 CM

METHOD: WINDLER/NEST-GAGE

LOCATION	NO. SAMP.	MIN.	FREQUENCY DISTRIBUTION, %										MAX.	ARITHMETIC		GEOMETRIC	
			10	20	30	40	50	60	70	80	90	MEAN		STD. DEV.	MEAN	STD. DEV.	
UTAH																	
SALT LAKE CITY																	
440970001 A01	26	0	0	0	0	7	7	8	11	11	21	34					
VIRGINIA																	
ARLINGTON																	
44140001 A01	25	0	0	8	13	16	19	19	20	25	51	60	26	26.70	17	2.73	
RICHMOND																	
44180002 A01	21	0	0	5	9	11	14	24	30	40	54	70	24	23.40	19	3.11	
WASHINGTON																	
SEATTLE																	
441440001 A01	26	0	0	0	5	12	20	26	28	34	46	77	22	19.02	19	3.15	
TACOMA																	
442140001 A01	23	0	0	0	0	7	9	11	11	12	16	70					
WEST VIRGINIA																	
CHARLESTON																	
440280001 A01	24	0	0	7	8	11	13	15	24	29	74	100	27	17.31	14	3.01	
WISCONSIN																	
MILWAUKEE																	
512200001 A01	29	0	0	6	7	9	13	17	20	27	29	50	16	13.74	12	2.29	
WYOMING																	
CASPER																	
520120001 A01	25	0	0	0	0	0	6	10	17	15	21	27					

Table 3-2. SULFUR DIOXIDE, NONURBAN FREQUENCY DISTRIBUTION FOR 1970

YEAR : 1970		METHOD: INHUR/NEST-GAEL												
SAMPLING INTERVAL : 24-HOUR		UNITS : UG/CU METER (25 C)												
LOCATION	NO. SAMP.	MIN.	FREQUENCY DISTRIBUTION, %										GEOMETRIC	
			10	20	30	40	50	60	70	80	90	MAX.	MEAN	STD. DEV.
HAWAII														
HAWAII CO														
12060002 A03	23	0	0	0	0	0	5	7	8	12	16	25		
INDIANA														
MONROE CO														
15280001 A03	25	0	0	0	5	7	8	9	11	12	21	27		
LOUISIANA														
IBERVILLE PAR														
19128001 A03	24	0	0	0	0	5	6	7	8	11	15	24		
MAINE														
ACADIA NAT PARK														
20010001 A03	24	0	0	0	0	0	7	8	10	13	19	23		
VIRGINIA														
SHENANDOAH NAT PAR														
48280001 A03	29	0	0	0	0	0	5	7	6	10	18	42		

SECTION 4. URBAN AND NONURBAN SULFUR DIOXIDE, 1971

Table 4-1. SULFUR DIOXIDE, URBAN FREQUENCY DISTRIBUTION FOR 1971

YEAR: 1971

METHOD: BUBBLER/NEST-GAUGE

SAMPLING INTERVAL: 24-HOUR

UNITS: 1 US/CC METR (25 C)

LOCATION	NO. SAMP.	MIN.	FREQUENCY DISTRIBUTION, %										MAX.	ARITHMETIC		GEOMETRIC	
			10	20	30	40	50	60	70	80	90	MEAN		STD. DEV.	MEAN	STD. DEV.	
ALABAMA BIRMINGHAM 01C180003 A01	24	0	0	0	5	5	5	7	8	9	11	16	7	3.77	6	1.80	
ALABAMA MONTGOMERY 012400001 A01	24	0	0	0	0	0	0	6	7	9	11	19					
ARIZONA PHOENIX 030601002 A01	23	0	0	5	6	7	7	9	10	12	13	59	10	11.48	8	2.08	
CALIFORNIA ANAHEIM 050230001 A01	23	0	0	5	6	9	10	11	14	16	29	44	12	10.02	9	2.16	
CALIFORNIA SAN FRANCISCO 050600001 A01	22	0	0	0	6	7	7	7	10	11	11	31	8	5.97	6	1.90	
CALIFORNIA SAN JOSE 050600002 A01	26	0	0	0	0	0	0	7	7	9	11	16					
CONNECTICUT NEW HAVEN 070700001 A01	26	0	0	7	11	17	23	39	59	62	103	154	40	40.15	23	3.35	
CONNECTICUT WATERBURY 071200001 A01	24	7	7	12	24	36	36	42	44	57	95	150	44	37.84	31	2.37	
DELAWARE WILMINGTON 080200003 A01	23	0	5	7	12	16	22	28	32	59	62	96	30	26.53	20	2.09	
FLORIDA MIAMI 107700002 A01	24	0	0	0	0	0	0	5	6	7	7	9					
FLORIDA ST. PETERSBURG 100400002 A01	25	0	0	0	5	6	8	9	14	26	36	111					
FLORIDA TAMPA 104900002 A01	25	0	0	0	5	10	11	13	21	40	52	70	20	20.58	11	1.11	
GEORGIA ATLANTA 112200001 A01	24	0	7	7	11	14	16	23	24	35	45	71	22	15.53	16	2.85	
GEORGIA COLUMBUS 111200001 A01	23	0	0	0	0	0	5	6	7	7	10	28					
GEORGIA SAVANNAH 114500001 A01	26	0	0	0	0	7	7	7	7	10	16	25					
ILLINOIS CHICAGO 141220002 A01	27	0	7	11	14	24	49	73	107	117	196	296	73	75.62	37	3.76	
INDIANA EVANSVILLE 151100001 A01	24	0	5	7	10	11	14	20	22	29	35	63	14	14.20	14	2.26	
INDIANA HAMMOND 151700001 A01	24	0	6	7	12	14	17	26	37	56	98	109	32	32.08	20	2.75	
INDIANA INDIANAPOLIS 152700001 A01	23	0	0	5	5	7	8	11	14	15	20	37	11	9.43	8	2.22	
NEW ALBANY 152900002 A01	22	0	NO. OF SAMPLES (131) BELOW MIN. DEF. EXCEEDS 50%										11				
IDAHO BOISE 161100001 A01	24	0	0	0	0	0	5	7	7	10	11	16					
KANSAS KANSAS CITY 171100002 A01	23	0	0	0	0	0	7	10	11	13	14	37					
KANSAS WICHITA 171700001 A01	25	0	0	0	0	0	5	5	7	7	9	24					
KENTUCKY COVINGTON 180870001 A01	25	0	0	5	7	11	11	15	21	22	55	67	19	17.85	13	2.57	
LOUISIANA RAYON RIDGE 190200001 A01	24	0	0	0	5	5	7	9	9	14	21	47					
LOUISIANA NEW ORLEANS 192020002 A01	23	0	0	0	0	5	5	7	7	7	11	13					
LOUISIANA SHREVEPORT 192700001 A01	24	0	NO. OF SAMPLES (131) BELOW MIN. DEF. EXCEEDS 50%										17				
MARYLAND BALTIMORE 210120001 A01	24	0	0	5	8	10	14	26	27	40	101	112	20	34.28	15	3.36	

Table 4-1 (continued). SULFUR DIOXIDE, URBAN FREQUENCY DISTRIBUTION FOR 1971

YEAR : 1971

METHOD: RUBBER-NEST-CAKE

SAMPLING INTERVAL: 24-HOUR

UNITS : UG/CM HETER (25 C)

[illegible]

Table 4-1 (continued). SULFUR DIOXIDE, URBAN FREQUENCY DISTRIBUTION FOR 1971

YEAR : 1971

SAMPLING INTERVAL : 24-HOUR

METHOD: BUHLLER/WEST-CAFFE

UNITS : UG/CM ME"ER (25 C)

LOCATION	N.	SAMP.	MIN.	FREQUENCY DISTRIBUTION, %										MAX.	ARITHMETIC		GEOMETRIC	
				10	20	30	40	50	60	70	80	90	MEAN		STD. DEV.	MEAN	STD. DEV.	
PROPERTY RICH DAYTON																		
W033400001 A01	25	0	0	0	0	0	0	5	7	8	8	12	15					
TENNESSEE MEMPHIS																		
W033400001 A01	25	0	0	0	0	0	5	7	7	10	11	12	16					
TEXAS FORT WORTH																		
W011600001 A01	73	0	0	0	0	0	0	5	5	7	7	7	9					
PASSADENA																		
W000600000 A01	24	0	0	0	0	0	0	0	5	6	7	7	9					
ARIZONA TUBAC																		
W002140001 A01	26	0	0	0	0	9	10	12	21	31	46	93	149	30	17.76	15	7.31	
OKLAHOMA OKMULGEE																		
W024400001 A01	25	0												35				
WASHINGTON SEATTLE																		
W011400001 A01	25	0	7	7	14	16	14	23	27	29	48	83	24	21.03	17	2.83		
WEST VIRGINIA CHARLESTON																		
W002240000 A01	22	0	0	0	0	0	5	7	7	8	11	11	17					
WISCONSIN MADISON																		
W111600001 A01	26	0	0	0	0	5	7	7	10	14	15	21	26					

Table 4-2. SULFUR DIOXIDE, NONURBAN FREQUENCY DISTRIBUTION FOR 1971

YEAR : 1971

SAMPLING INTERVAL : 24-HOUR

UNITS : UG/CU METER (25 C)

METHOD: BUBBLER/NEST-GAUGE

LOCATION	NO. SAMP.	MIN.	FREQUENCY DISTRIBUTION, %										ARITHMETIC		GEOMETRIC	
			10	20	30	40	50	60	70	80	90	MAX.	MEAN	STD. DEV.	MEAN	STD. DEV.
DELAWARE KENT CO 080260001 A03	24	0	NO. OF SAMPLES (13) BELOW MIN. DET. EXCEEDS 508													
FLORIDA HARDEE CO 101540001 A03	26	0	0	0	0	0	5	5	7	7	8	10				
MAINE ACADIA NAT PARK 200010001 A03	25	0	0	0	0	5	7	7	7	10	11	29				
MISSOURI SHANNON CO 264480002 A03	22	0	0	0	0	5	5	7	7	7	9	44				
NEW HAMPSHIRE GCCS CO 300140001 A03	24	0	0	0	5	5	5	7	7	12	13	23				
NEW YORK JEFFERSON CO 333140001 A03	24	0	NO. OF SAMPLES (13) BELOW MIN. DET. EXCEEDS 508													
OKLAHOMA CHEROKEE CO 370490001 A03	22	0	0	0	0	0	0	5	7	7	10	21				
SOUTH CAROLINA RICHMOND CO 421900002 A03	22	0	0	0	0	0	5	7	7	9	11	12				
VIRGINIA SHEPARD JAH NAT PARK 482900001 A03	24	0	0	0	0	5	5	7	7	10	16	35				